

SAFETY DATA SHEET

SECTION 1 MATERIAL AND MANUFACTURER IDENTIFICATION

PRODUCT

Product Identifier: Gooff Intended Product Use: Graffiti Remover Manufacturer Identification Code: N/A

MANUFACTURER

Chemical Technologies International Inc. P.O. Box 968 Rancho Cordova, CA 95741 USA Phone: (916) 638-1315 Fax: (916) 638-0712 24 hours Emergency Assistance Calls (USA): CHEMTREC (800) 424-9300 *Please reference name and manufacturers identification number*

SECTION 2 HAZARD(S) INDENTIFICATION

GHS Classification

Flammable Liquid (Category 4) Acute Oral Toxicity (Category 5) Acute Dermal Toxicity (Category 5) Serious Eye Damage/Eye Irritation (Category 2A) Acute Inhalation Toxicity (Category 5)

Routes of Exposure: Eye contact, skin contact, inhalation, and ingestion.

Inhalation: Inhalation of mist or vapor may cause severe irritation of the respiratory tract. Overexposure may result in coughing, choking or shortness of breath.

Eye Contact: Vapors/mist may irritate eyes. Irritation is characterized by redness, itching, or watering of eyes. Direct or prolonged contact with eyes will be painful and irritating; seek immediate medical attention for prolonged irritation. **Skin Contact:** Repeated exposure may cause skin irritation, inflammation, drying, and/or chapping.

Ingestion: If swallowed may cause GI irritation with abdominal pain, nausea, vomiting, diarrhea, violent colic, and possible gastric hemorrhaging. Do not induce vomiting, seek immediate medical attention.

Carcinogenic Potential: Not established

Acute Effects: This product is considered to be a potential irritant. This product should not be used for any other purpose than the intended use in section 1.

Chronic Effects: Not established.



Health hazard	2
Flammability hazard	2
Reactivity hazard	0
Other hazard	

Signal word: WARNING

Hazard statement(s):

- H226: Flammable liquid and vapor;
- H303: May be harmful if swallowed;
 - H313: May be harmful in contact with skin;
 - H320: Causes serious eye irritation;
 - H333: May be harmful if inhaled.



SECTION 3	COMPOSITON/INFORMATION ON INGREDIENTS			
COMPONENT		CAS #	CONCENTRATIONS	
1. D'Limonene		5989-27-5	10-25%	
2. Petroleum D	istillates	not established	20-40%	
3. Glycol Ether	EB	111-76-2	10-30%	
4. Acetone		67-64-1	10-30%	
5. Surfactant B	end	not established	10-30%	

This SDS contains confidential and propriety information of CTI and is protected by copyright, trade secret and other State and Federal laws. Its receipt or possession does not convey any rights to reproduce its contents, or to manufacture, use or anything it may describe. Reproduction, disclosure, or use without specific written authorization of CTI is strictly forbidden.

SECTION 4 FIRST-AID MEASURES

Inhalation: Remove from further exposure to fresh air. If respiratory irritation, dizziness, or nausea occurs seek immediate medical attention. If breathing stops, have trained person administer oxygen with a resuscitation mouth cover. Seek immediate medical attention.

Eye Contact: Flush eyes with a directed stream of water for 15 minutes, forcibly holding eyelids apart to ensure complete irrigation of all eye and lid tissue. Washing eyes immediately after exposure is essential to achieve maximum effectiveness and minimize potential irritation. If irritation persists, seek immediate medical attention. **Skin Contact:** Wash contact areas with soap and water. Launder exposed clothing before reuse. **Ingestion:** If swallowed, do not induce vomiting. Seek immediate medical attention.

SECTION 5 FIRE-FIGHTING MEASURES

FLAMMABILITY PROPERTIES

Flashpoint: 25 C Flammable Limits: Not Available Auto ignition Temperature: Not Available

FIREFIGHTING PROCEDURES

General Hazard: During a fire smoke may contain the original material in addition to toxic and or irritating compounds. Avoid heat sparks or open flame. Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Firefighting Instructions: Evacuate all unnecessary personnel. Combustible mixture; keep away from heat, sparks and open flame. Use dry chemical or CO₂. Use water or foam to cool surrounding containers. Direct water stream may spread the fire.

Firefighting Equipment: Firefighters should wear NICSH/MSHA approved self-contained, positive pressure breathing apparatus and full protective clothing.

Hazardous Combustion Products: Hazardous combustion products may include but limited to: CO, CO₂.

Unusual Fire and Explosion Hazards: Keep away from strong oxidizing and acidic agents.

CHEMICAL TECHNOLOGIES

Product Name: Gooff

SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Persons performing the clean-up should wear personal protective equipment sufficient to keep material away from skin. Avoid direct contact with material. Remove all sources of ignition. Evacuate personnel to safe areas. See section 4 for First-Aid Advice. See section 5 for Firefighting Advice.

PROTECTIVE MEASURES

To minimize exposure to all chemicals, including this product, use good industrial hygiene and common sense. Use only in well-ventilated area. If necessary, use exhaust ventilation to insure adequate ventilation. Insure that water is readily available and that you are prepared to properly wash out your eyes should the need arise. (See section 4 for more advice). Wear NIOSH/MSHA approved organic respirator when ventilation is not adequate or when the sufficiency of ventilation to maintain concentrations below exposure limits is in question. Wear chemical safety goggles to protect against splashes or contact with eyes. See OSHA 29 CFR 1910.33

CLEAN-UP PROCEDURES

Small Spills: Wipe up or mop to dispose of spill in DOT approved waste container.

Large Spills: Contain by diking with soil or other non-combustible absorbent material, and dispose into DOT approved waste container. If possible complete clean up on a dry basis. Comply with all applicable governmental regulations on spill reporting, handling and disposal of waste. Contain all spills or leaks to prevent discharge into the environment. Responsibility of all spills or releases reported to the appropriate local, state and federal agencies falls upon the user.

HANDLING

This product is professional strength product to be used by professionals only. Avoid breathing vapors/mist of this product. Always keep container tightly closed and properly labels. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Impervious boots/shoes covering should be used if material is anticipated to contact feet. As with all chemicals, practice good industrial hygiene when handling this product. Always work in a well-ventilated area and avoid inhalation of product vapor or mist. Do not ingest.

The manufacturer and seller warrant that this product conforms to its standard specifications when used according to directions. As the conditions of method of its use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for use of this product. Information contained herein is believed to be true but all statements and suggestions are made without any warranty, expressed or implied, regarding accuracy of the information. The hazards connected with the use of this material and the results to be obtained from the use thereof.

STORAGE

Avoid excessive heat. Avoid storage with oxidizing or reducing agents and/or acids. Avoid storage with combustible organic materials. Employees should be trained to handle this product safely. Loosen closures cautiously. Store the product in a cool dry area away from ignition sources. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage temperature: Store in cool dry place Storage pressure: Atmospheric



SECTION 8 EXPOSURE / PERSONAL PROTECTION

EXPOSURE LIMITS

Exposure limits have not been established for this mixture. Avoid, as far as reasonably practicable, inhalation of vapor, mists or fumes generated. Limits for components are listed below:

OSHA PEL	ACGIH TLV	NIOSH
TWA STEL	TWA STEL	TWA STEL
Contains no substance	s with occupational expo	osure limit values.
400ppm	200 mg/m3	Not Established
25ppm/120 mg/m3	20ppm	5ppm/24mg/m3
1000ppm-2400mg/m3	750ppm	250ppm-590mg/m3
Not Established	Not Established	Not Established
	TWA STEL Contains no substance 400ppm 25ppm/120 mg/m3 1000ppm-2400mg/m3	TWA STELTWA STELContains no substances with occupational expo400ppm200 mg/m325ppm/120 mg/m320ppm1000ppm-2400mg/m3750ppm

ENGINEERING CONTROLS

The level of protection and types of control will vary depending upon potential exposure conditions. If user operations generate dust, fume or mist, use adequate ventilation to keep exposure below exposure limit.

PERSONAL PROTECTION

Ventilation and engineering controls: Use only in well-ventilated area. If necessary, use exhaust ventilation to insure adequate ventilation. Insure that water is readily available and that you are prepared to properly wash out your eyes should the need arise. (Refer to section 4).

Respiratory: Wear NIOSH/MSHA approved respirator when ventilation is not adequate. A NIOSH /MSHA –approved air purifying respirator with an organic vapor cartridge or canister may be advisable under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure, air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstances where air-purifying respirators may not provide adequate protection. *Eye Protection:* Wear safety goggles to protect against eye contact. See OSHA 29 CFR 1910.33

Skin: Wear chemical impervious gloves. Gloves must be inspected before use. Dispose of gloves after use in accordance with applicable laws and good laboratory practices. Wear protective clothing to minimize skin contact. Wash skin after use. Wash contaminated clothing and dry before reuse.

Other: One should always use chemicals with an awareness of the potential hazard of the effect on the human system. To minimize employee exposure to all chemicals, including this product, use good industrial hygiene practices.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State and Appearance: Liquid Odor: Clean Scent Boiling point: Not Available. Melting point: Not Available. Flammability: Flammable. Viscosity: Not Available. Flash point: 25C Decomposition temperature: Not Available. *Color*: Clear *pH*: Not Available Freezing point: Not Available. Density: Not Available. Particle size: Not Available. Vapor density: Not Available. Solubility: Soluble Vapor pressure: Not Available.

SECTION 10 STABILITY AND REACTIVITY

Chemical Stability: Stable under ambient temperature and atmospheric pressure.

Conditions to avoid: Keep away from heat or excessive pressure. Keep away from heat or excessive pressure. Do not contaminate.

Incompatibility with other materials: Heavy metals, combustible organic materials, reducing agents.



Hazardous decomposition products: Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Sulfur oxides. Hazardous polymerization: Major components of this mixture show no hazardous polymerization. Conditions to Avoid: Oxygen, which supports combustion.

SECTION 11 TOXICOLOGICAL INFORMATION

Toxicological information has not been established on this mixture. Toxicological information on components within this mixture is given by:

COMPONENT #

TOXICITY

 D'Limonene Petroleum Distillates Glycol Ether EB 	Not Established, not acutely toxic Not Established LD₅₀ Oral - rat - 470 mg/kg
	LC ₅₀ Inhalation - rat - 4 h - 450 ppm
	LD₅₀ Dermal - rabbit - 220 mg/kg
4. Acetone	Eyes - rabbit - Moderate eye irritation - 24 h LD ₅₀ Oral - rat - 5,800 mg/kg LD ₅₀ Inhalation - rat - 8 h - 50,100 mg/m3
5. Surfactant Blend	LD ₅₀ Dermal - guinea pig - 7,426 mg/kg Not Established

SECTION 12 ECOLOGICAL INFORMATION

Ecological information has not been established for this product. Ecological information on components within this mixture is given by:

COMPONENT #	TOXICITY
1. D'Limonene	Not Established, not acutely toxic
2. Petroleum Distillates	Not Established
3. Glycol Ether EB	Toxicity to fish LC50 - other fish - 220 mg/l - 96 h
	Toxicity to daphnia and other aquatic invertebrates
	EC₅₀ - Daphnia magna (Water flea) - 1,815 mg/l - 24 h
	Eyes - rabbit - Moderate eye irritation - 24 h
4. Acetone	Toxicity to fish LC ₅₀ -Oncorhynchus mykiss (rainbow trout)-5,540.00 mg/l-96 h
	EC₅₀ - Daphnia magna (Water flea) - 13,500.00 mg/l - 48 h
5. Surfactant Blend	Not Established

SECTION 13 DISPOSAL CONSIDERATIONS

Dispose of all waste, empty bottles and contaminated equipment in accordance with all applicable federal, state and local health and environmental regulations.

Do not dump into storm drains or any body of water. All disposal methods must be in compliance with all federal, State/ Province and local laws and regulations. Regulations may vary in different locations.



Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. The vendor has no control over the management practices or the processes by which the party who handles or uses this material. The information presented here pertains only to the product as shipped in its intended condition and recommended usage.

SECTION 14	TRANSPORT INFORMATION	
-------------------	-----------------------	--

DOT (US)

These shipments are ORM-D and exempt from Bill of Lading requirements when sent via ground under 1 Liter when packaged for retail sale per 49 CFR 173.150. If product exceeds 1 Liter then will comply with the following:

UN Number: 1993 Proper Shipping Name: Flammable liquid N.O.S (Contains Acetone) Hazard Class: 3 Labels: Flammable Liquid Packing Group: II

IMDG

Basic Description: <u>UN1993, Flammable Liquid N.O.S. (Contains Acetone), 3, II, LTD QTY</u> Marine Pollutant: No

*Shipping Instructions as shipped are: ORMD/LTD QTY Exemptions Used 173.150 LTD QTY & ORM-D Consult 49 CFR to assure compliance with all applicable federal, state/provincial and local laws and regulations that may apply to you.

SECTION 15 REGULARTORY INFORMATION

US Federal Regulations:

OSHA standards require that information be provided to employees regarding the hazards of chemicals by means of a hazard communication program including labeling, safety data sheet (SDS) sheets, training and access to written records. We request that you, as per your legal duty to, make all information in this SDS available to your employees and those who handle or consume the product. To aid our customers in complying with regulatory requirements regulatory information for components of this product are indicated below

This <u>mixture</u> has no established regulatory information all regulatory information given is based on individual components of the mixture by component number. This mixture contains no products/chemicals restricted by California Prop 65.

Regulatory information has not been established for this product. Regulatory information on components within this mixture is given by:

COMPONENT #	Regulatory Information
1. D'Limonene	Not established. GRAS as safe by FDA. EPA has granted D-Limonene to be used as fragrance/solvent. Not a carcinogen, developmental toxicant or mutagenic compound.
2. Petroleum Distillates	Not Established
3. Glycol Ether EB	OSHA Hazards: Combustible Liquid, Target Organ Effect, Harmful by ingestion. Harmful if absorbed through skin. Irritant, Carcinogen SARA 311/312 Hazards: Fire Hazard, Acute Health Hazard, Chronic Health
1 Aceteric	Hazard
4. Acetone	OSHA Hazards: Flammable liquid, Target Organ Effect, Irritant SARA 311/312 Hazards: Fire Hazard, Acute & Chronic Health Hazard
	MA, PA & NJ Right to Know: Acetone; CAS#: 67-64-1



Product Name: Gooff 5. Surfactant Blend

Not Established

SECTION 16 OTHER INFORMATION

While the information is believed to be accurate, CTI makes no representations as to its accuracy or sufficiency. This SDS summarizes to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources of each individual component. Since CTI cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material. Users are responsible to verify this data under their own operating conditions to determine whether this product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance on information contained herein. This information relates only to the product-designated herein, and does not relate to its use in combination with any other material or in any other process.