

Revision Date: 5/19/2015

SAFETY DATA SHEET

SECTION 1 MAT

MATERIAL AND MANUFACTURER IDENTIFICATION

PRODUCT

Product Identifier: Erase Dry Spotter

Product Description:

Manufacturer Identification Code: 1022

MANUFACTURER

Chemical Technologies International Inc.

P.O. Box 968

Rancho Cordova, CA 95741 USA

Phone: (916) 638-1315 Fax: (916) 638-0712

24 hours Emergency Assistance Calls (USA): CHEMTREC (800) 424-9300

Please reference name and manufacturers identification number

SECTION 2

HAZARD(S) INDENTIFICATION

GHS CLASSIFICATION

Acute toxicity, Oral (Category 4)
Skin irritation (Category 2)
Eye irritation (Category 2A)

Specific target organ toxicity - single exposure (Category 3)

Routes of Exposure: Eye contact, skin contact, inhalation, and ingestion.

Inhalation: Inhalation of mist or vapor may cause severe irritation of the respiratory tract that usually subsides after exposure ceases.

Eye Contact: Vapors may irritate eyes. Direct or prolonged contact with eyes will be painful and irritating may also cause possible permanent damage. Seek immediate medical attention for prolonged irritation.

Skin Contact: Repeated exposure may cause skin irritation, drying, chapping.

Ingestion: If swallowed will cause irritation/corrosion of the gastrointestinal tract. Seek immediate medical attention.

Carcinogenic Potential: Not established

Acute Effects: This product is considered to be a potential irritant. This product should not be used for any other

purpose than the intended use in section 1.

Chronic Effects: Not established.





Health hazard	2
Flammability hazard	2
Reactivity hazard	0
Other hazard	

Signal word: WARNING

Hazard statement(s): **H227 Combustible Liquid**

H302 Harmful if swallowed. H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

SDS Product: Erase Dry Spotter Page1 of 7



SECTION 3 COMPOSITON/INFORMATION ON INGREDIENTS

COMPONENT	CAS#	CONCENTRATIONS
1. Naphtha Heavy Alkylate	8052-41-3	70-95%
2. Emulsifier	Not Established	5-20%
3. Glycol Ether EB	111-76-2	1-10%
4. D' Limonene	5989-27-5	1-10%
5. Surfactant Blend	Not Established	1-10%

This SDS contains confidential and propriety information of CTI and is protected by copyright, trade secret and other State and Federal laws. Its receipt or possession does not convey any rights to reproduce its contents, or to manufacture, use or anything it may describe. Reproduction, disclosure, or use without specific written authorization of CTI is strictly forbidden.

SECTION 4 FIRST-AID MEASURES

Inhalation: Remove from further exposure to fresh air. If respiratory irritation, dizziness, or nausea occurs seek immediate medical attention.

Eye Contact: Flush eyes with a directed stream of water for 15 minutes, forcibly holding eyelids apart to ensure complete irrigation of all eye and lid tissue. Washing eyes immediately after exposure is essential to achieve maximum effectiveness and minimize potential irritation. If irritation persists, seek immediate medical attention.

Skin Contact: Wash contact areas with soap and water. Launder exposed clothing before reuse.

Ingestion: If swallowed, do not induce vomiting. Seek immediate medical attention.

SECTION 5 | **FIRE-FIGHTING MEASURES**

FLAMMABILITY PROPERTIES

Flashpoint: 43 C, Non-flammable nor combustible Flammable Limits: Not Available Auto ignition Temperature: Not Available

FIREFIGHTING PROCEDURES

General Hazard: During a fire smoke may contain the original material in addition to toxic and or irritating compounds. Avoid heat sparks or open flame. Decomposition releases oxygen, which can intensify the fire. Highly flammable vapors – may cause a floating fire hazard

Firefighting Instructions: For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water. Firefighting Equipment: Firefighters should wear NICSH/MSHA approved self-contained, positive pressure breathing apparatus and full protective clothing.

Hazardous Combustion Products: During fire, smoke may contain the original material in addition to toxic and/or irritating compounds. Hazardous decomposition products formed under fire conditions. - Nature of decomposition products not known. Possible hazardous products may be but limited to: Carbon oxides.

Unusual Fire and Explosion Hazards: Not established



SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Persons performing the cleanup should wear personal protective equipment sufficient to keep material away from skin. Avoid direct contact with material. See section 4 for First-Aid Advice. See section 5 for Firefighting Advice.

PROTECTIVE MEASURES

To minimize exposure to all chemicals, including this product, use good industrial hygiene and common sense. Use only in well ventilated area. If necessary, use exhaust ventilation to insure adequate ventilation. Insure that water is readily available and that you are prepared to properly wash out your eyes should the need arise. (See section 4 for more advice). Wear NIOSH/MSHA approved organic respirator when ventilation is not adequate or when the sufficiency of ventilation to maintain concentrations below exposure limits is in question. Wear chemical safety goggles to protect against splashes or contact with eyes. See OSHA 29 CFR 1910.33

CLEAN-UP PROCEDURES

Small Spills: Mop up or mop to dispose of spill in DOT approved waste container.

Large Spills: Contain by diking with soil or other non-combustible absorbent material, and dispose into DOT approved waste container. If possible complete clean up on a dry basis. Comply with all applicable governmental regulations on spill reporting, handling and disposal of waste. Contain all spills or leaks to prevent discharge into the environment. Responsibility of all spills or releases reported to the appropriate local, state and federal agencies falls upon the user.

SECTION 7 HANDLING AND STORAGE

HANDLING

This product is professional strength product to be used by professionals only. Avoid breathing vapors/mist of this product. Always keep container tightly closed and properly labels. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Impervious boots/shoes covering should be used if material is anticipated to contact feet. As with all chemicals, practice good industrial hygiene when handling this product. Always work in a well-ventilated area and avoid inhalation of product vapor or mist. Do not ingest.

The manufacturer and seller warrant that this product conforms to its standard specifications when used according to directions. As the conditions of method of its use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for use of this product. Information contained herein is believed to be true but all statements and suggestions are made without any warranty, expressed or implied, regarding accuracy of the information. The hazards connected with the use of this material and the results to be obtained from the use thereof.

STORAGE

Avoid excessive heat. Avoid storage with oxidizing or reducing agents and/or acids. Employees should be trained to handle this product safely. Store the product in a cool dry area away from ignition sources. Loosen closures cautiously. Avoid storage with combustible organic materials.

Storage temperature: Store in cool dry place

Storage pressure: Atmospheric

SDS Product: Erase Dry Spotter Page 3 of 7



MIOCH

Product Name: Erase Dry Spotter

SECTION 8 | EXPOSURE / PERSONAL PROTECTION

EXPOSURE LIMITS

Exposure limits have not been established for this compound. Avoid, as far as reasonably practicable, inhalation of dust generated. Exposure limits are related to Stoddard Solvent.

ACCIL TIV

	USHA PEL	ACGIN ILV	июзп
COMPONENT #	TWA STEL	TWA STEL	TWA STEL
 Naphtha heavy alkylate 	100ppm/525mg/m3	100ppm	350mg/m3
Emulsifier	Not Established	Not Established	Not Established
Glycol Ether EB	25 ppm	20ppm	5 ppm
4. D' Limonene	Contains no substanc	es with occupational ex	xposure limit values
5. Surfactant Blend	Not Established	Not Established	Not Established

OCH V DEI

ENGINEERING CONTROLS

The level of protection and types of control will vary depending upon potential exposure conditions. If user operations generate dust, fume or mist, use adequate ventilation to keep exposure below exposure limit.

PERSONAL PROTECTION

Ventilation and engineering controls: Use only in well ventilated area. If necessary, use exhaust ventilation to insure adequate ventilation. Insure that water is readily available and that you are prepared to properly wash out your eyes should the need arise. (Refer to section 4).

Respiratory: Wear NIOSH/MSHA approved respirator when ventilation is not adequate. A NIOSH/MSHA –approved air purifying respirator with an organic vapor cartridge or canister may be advisable under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure, air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstances where air-purifying respirators may not provide adequate protection. Eve Protection: Wear safety goggles to protect against eye contact. See OSHA 29 CFR 1910.33

Skin: Wear chemical impervious gloves. Wear protective clothing to minimize skin contact. Wash skin after use. Wash contaminated clothing and dry before reuse.

Other: One should always use chemicals with an awareness of the potential hazard of the effect on the human system. To minimize employee exposure to all chemicals, including this product, use good industrial hygiene practices.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State and Appearance: Liquid

Odor: Not Available

Boiling point: Not Available.
Melting point: Not Available.

Flammability: Non-flammable nor Combustible.

Viscosity: Not Available.

Flash point: 43 C; non-flammable

Decomposition temperature: Not Available.

Color: Clear pH: Not Available

Freezing point: Not Available. Density: Not Available. Particle size: Not Available. Vapor density: Not Available.

Solubility: Soluble

Vapor pressure: Not Available

SECTION 10 | STABILITY AND REACTIVITY

Chemical Stability: Stable under ambient temperature and atmospheric pressure.

Conditions to avoid: Keep away from heat or excessive pressure. Keep away from heat or excessive pressure. Do not contaminate.

SDS Product: Erase Dry Spotter

Page 4 of 7



Incompatibility with other materials: Heavy metals, combustible organic materials, reducing agents. Hazardous decomposition products: Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Sulfur oxides. Hazardous polymerization: Major components of this mixture show no hazardous polymerization. Conditions to Avoid: Oxygen, which supports combustion.

SECTION 11 TOXICOLOGICAL INFORMATION

Toxicological information has not been established on this mixture. Toxicological information on components within this mixture is given by:

COMPONENT # TOXICITY

1. Naphtha heavy alkylate Not Established
2. Emulsifier Not Established

3. Glycol Ether EB Oral LD50: LD50 Oral - rat - 470 mg/kg

Inhalation LC50: LC50 Inhalation - rat - 4 h - 450 ppm **Dermal LD50:** LD50 Dermal - rabbit - 220 mg/kg

Oral LD50: LD50 Oral - rat - 4,400 mg/kg

Inhalation LC50: Irritating to respiratory system.

Dermal LD50: LD50 Dermal - rabbit - > 5,000 mg/kg

Surfactant Blend Not Established

Potential health effects

4. D' Limonene

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation

SECTION 12 | ECOLOGICAL INFORMATION

Ecological information has not been established on this mixture. Ecological information on components within this mixture is given by:

COMPONENT # TOXICITY

1. Naphtha heavy alkylate Not Established
2. Emulsifier Not Established

3. Glycol Ether EB Toxicity to fish LC50: other fish - 220 mg/l - 96 h

Toxicity to daphnia & other aquatic invertebrates: EC50 - Daphnia magna

(Water flea) - 1,815 mg/l - 24 h

4. D' Limonene Toxicity to fish LC50 - (fathead minnow) - 0.702 mg/l - 96.0 h

Toxicity to daphnia & other aquatic invertebrates: EC50 - Daphnia pulex

(Water flea) - 69.6 mg/l - 48 h

Surfactant Blend Not Established

SECTION 13 DISPOSAL CONSIDERATIONS

Dispose of all waste, empty bottles and contaminated equipment in accordance with all applicable federal, state and local health and environmental regulations.

SDS Product: Erase Dry Spotter



Do not dump into storm drains or any body of water. All disposal methods must be in compliance with all federal, State/ Province and local laws and regulations. Regulations may vary in different locations.

Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. The vendor has no control over the management practices or the processes by which the party who handles or uses this material. The information presented here pertains only to the product as shipped in its intended condition and recommended usage.

SECTION 14 | TRANSPORT INFORMATION

DOT (US)

Non Regulated material. Per GHS classification and labeling of chemicals, 2.6.2, with a flash point of 43 C Erase is a non-flammable Liquid.

IMDG

Basic Description: UN1993, Flammable Liquid N.O.S. (Contains Dipentene), 3, III, LTD QTY

Marine Pollutant: No

SECTION 15 | REGULARTORY INFORMATION

US Federal Regulations:

2. Emulsifier

OSHA standards require that information be provided to employees regarding the hazards of chemicals by means of a hazard communication program including labeling, safety data sheet (SDS) sheets, training and access to written records. We request that you, as per your legal duty to, make all information in this SDS available to your employees and those who handle or consume the product To aid our customers in complying with regulatory requirements regulatory information for components of this product are indicated below

COMPONENT REGULATION

1. Naphtha heavy alkylate OSHA Hazards: Combustible Liquid SARA 311/312 Hazards: Fire Hazard

PA & NJ Right To Know Components: Alkanes, C10-13-iso-CAS-

No.68551-17-7 Not Established

3. Glycol Ether EB OSHA Hazards: Combustible Liquid, Target Organ Effect, Harmful by

ingestion. Harmful by skin absorption. Irritant, Carcinogen **SARA 313 Components**: 2-Butoxyethanol CAS-No.111-76-2

SARA 311/312 Hazards: Fire Hazard, Acute Health Hazard, and Chronic

Health Hazard

MA, PA, and NJ Right to Know: 2-Butoxyethanol CAS: 111-76-2

4. D' Limonene OSHA Hazards: Combustible Liquid, Target Organ Effect, Skin sensitizer,

Irritant

PA & NJ Right to Know Components: D-Limonene, CAS: 5989-27-5 SARA 311/312 Hazards: Fire Hazard, Acute & Chronic Health Hazard

5. Surfactant Blend Not Established

SECTION 16 OTHER INFORMATION

While the information is believed to be accurate, CTI makes no representations as to its accuracy or sufficiency. This SDS summarizes to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources of each individual component. Since

SDS Product: Erase Dry Spotter

Page 6 of 7



CTI cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material. Users are responsible to verify this data under their own operating conditions to determine whether this product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance on information contained herein. This information relates only to the product-designated herein, and does not relate to its use in combination with any other material or in any other process.