

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: STAIN ABSORB FOR STONE CST10QT

SECTION 1 COMPANY AND PRODUCT IDENTIFICATION

PRODUCT NAME: Stain Absorb for Stone

Manufacturer:

Bridgepoint Systems 4282 S. 590 W.

Salt Lake City, Utah 84123

Company Phone Number: 801-261-1282

Emergency Phone Number: 1-800-535-5053 (Infotrac)

Date Prepared: 02/01/2011

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)

Fire: 0 Health: 1 Reactivity: 0

SECTION 2 COMPOSITION/INFORMATION ON COMPONENTS

COMPONENTS CAS NUMBER % TLV

There are no components contained in this material that are considered hazardous under 29CFR1910.1200 over 1% by weight.

SECTION 3 HAZARDS IDENTIFICATION

Emergency Overview: This product is a Free-flowing liquid with a creamy consistency. It may cause irritation to the eyes and skin. If ingested, it may cause vomiting, headache, and medical problems.

Potential Health Effects:

Eye: Contact with liquid may cause severe irritation. Skin: Prolonged or repeated contact can cause irritation.

Ingestion: Causes diarrhea, nausea, vomiting, cramps, and gastrointestinal irritation.

Chronic Effects:

Skin: Prolonged or repeated exposure can cause drying, defatting, and dermatitis.

Carcinogenicity: Non-hazardous by WHMIS/OSHA criteria. Not listed by IARC, NTP, or

ACGIH.

Teratogenicity, Mutagenicity, Reproductive Effects: No data available

Synergistic Materials: Not available Potential Environmental Effects: No data

MATERIAL SAFETY DATA SHEET PRODUCT NAME: STAIN ABSORB FOR STONE

Page 2 of 4

SECTION 4 FIRST AID MEASURES

Eye: Immediately flush with warm running water for at least 15 minutes, holding eyelids open during flushing. If irritation persists, repeat flushing and obtain medical attention immediately. Skin: Immediately flush exposed area with soap and water for at least 10 minutes. If irritation persists, or if contact has been prolonged, obtain medical attention. Remove contaminated clothing and launder before reuse.

Inhalation: Immediately remove the affected victim to fresh air. If symptoms persist, obtain medical attention.

Ingestion: Do Not Induce Vomiting. If patient is fully conscious, rinse mouth with water and drink 1 glass of water. Obtain medical attention immediately. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness, or is convulsing.

SECTION 5 FIRE FIGHTING MEASURES

Flammability: Not Flammable Flash Point: >200°FPMCC

Autoignition Temperature: Not available

Flame Propagation or Burning Rate of Solid Materials: Not applicable

Sensitivity to Static Discharge: Not sensitive Sensitivity to Mechanical Impact: Not sensitive

Extinguishing Media: Water fog, alcohol foam, and dry chemical.

Special Fire Fighting Procedures: Directing a solid stream of water into a hot burning liquid can cause frothing and spread the fire. Use self-contained breathing apparatus and body-covering protective clothing.

Hazardous Decomposition Products: Oxides of carbon, oxides of nitrogen, hydrogen chloride,

and methyl chloride.

NFPA/HMIS RATINGS: Health: 1, Flammability: 0, Reactivity: 0

SECTION 6 ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedure: Evacuate area. Ventilate area. Collect for disposal. Clean up remaining materials from spill with suitable absorbent. For large spills provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in compatible drums for recovery or disposal. Clean area as appropriate since some material, even in small quantities, may present a slip hazard. Final cleaning may require steam, solvents, or detergents. Observe all personal protection equipment recommendations.

SECTION 7 HANDLING AND STORAGE

Storage Requirements: Keep Out Of Reach Of Children. Store in a cool, dry place away from incompatible materials.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: General ventilation usually adequate.

Respiratory protection: Not normally required if good ventilation is maintained.

Eye protection: Use chemical safety glasses

Skin protection: Use impervious (rubber, nitrile) gloves.

Work Hygienic Practices: The usual precaution for the handling of chemicals must be observed.

MATERIAL SAFETY DATA SHEET PRODUCT NAME: STAIN ABSORB FOR STONE

Page 3 of 4

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Free flowing liquid with creamy consistency

Freezing/Melting Point: N/A

Specific Gravity @ 20 °C: 1.06 +/- 0.02 %

Vapor Pressure: N/A

Solubility In Water: Soluble **Physical State:** Liquid

pH (as is): 9.0 – 11.0 Vapor Density: N/A

SECTION 10 STABILITY AND REACTIVITY

Stability: Stable

Incompatible Materials: Strong oxidizing agents

Hazardous Decomposition Products: Oxides of carbon, hydrogen chloride, oxides of

nitrogen, methyl chloride when heated.

Reactivity, and Under What Conditions: Not available.

SECTION 11 TOXICOLOGICAL INFORMATION

There is no test data on this product. Based on the information on the ingredients this product may cause irritation to the eyes and skin upon contact.

SECTION 12 ECOLOGICAL INFORMATION

No data available.

SECTION 13 DISPOSAL CONSIDERATIONS

Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be flushed into a waste treatment sewer where local regulations permit. Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations. All disposal must be in accordance with all federal, state and local regulations.

SECTION 14 TRANSPORT INFORMATION

No restrictions for Ground, Air, or Maritime Transportation in accordance with 49 CFR parts 100-185.

SECTION 15 REGULATORY INFORMATION

All components are listed on TSCA

MATERIAL SAFETY DATA SHEET PRODUCT NAME: STAIN ABSORB FOR STONE

Page 4 of 4

16. OTHER INFORMATION

This product has no established regulatory information. All regulatory information given is based on individual components of the mixture by component number. While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A= Not applicable N/D= Not determined N/E= Not established