



MATERIAL SAFETY DATA SHEET

PRODUCT NAME: HYDRO BREAK
CC14

SECTION 1: PRODUCT INFORMATION

Distributed By: Bridgepoint Systems, 542 West Confluence Ave, Salt Lake City, Utah 84123
Company Phone Number: 801-261-1282
Emergency Phone Number: 1-800-535-5053 (Infotrac)
Date Prepared: 1-25-02 c

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)
Fire: 0 Health: 1 Reactivity: 0

SECTION 2: INGREDIENTS

<u>PRINCIPLE HAZARDOUS INGREDIENTS :</u>	<u>%</u>
Diprophlene Glycol Monomethyl Ether (CAS # 34590-94-8)	2-3

Note: This product in it's final use dilution is not considered hazardous

SECTION 3: PHYSICAL DATA

Boiling Point (°F).....212°	Specific Gravity(H ₂ O=1).....1.145
Vapor Pressure (mmHg.)..... Same as water	Percent Volatile by Volume... N/D
Vapor Density (AIR=1)..... Aprox. 0.8	PH (1% Solution).....9.2
Solubility in Water.....Complete	

Appearance & Odor.....Light yellow liquid with slight odor

SECTION 4: FIRE, EXPLOSION & REACTIVITY DATA

Flash Point: Non flammable
Extinguishing Media: Appropriate for surrounding materials involved in fire
Special Fire Fighting Procedures: None
Unusual Fire and Explosion Hazards: None
Stability: Stable
Chemical Incompatibility: None known
Hazardous Decomposition or Byproducts: N/A
Hazardous Polymerization: Will not occur
Conditions to Avoid: None

PRODUCT NAME.....HYDRO BREAK CC14 page 2

SECTION 5: HEALTH HAZARD INFORMATION

Route(s) of entry	Eyes? No Skin? No Inhalation? No Ingestion? No
Health Hazards:	Eyes - May cause irritation
	Skin - May cause irritation
	Inhalation - May cause irritation
	Ingestion - May cause irritation
Carcinogenicity:	NTP? No OSHA? No IARC Monograph? No

SECTION 6: EMERGENCY AND FIRST AID PROCEDURES

Eyes.....	Flush with water for 15 minutes
Skin.....	Flush with water for 15 minutes
Inhalation..	If irritation occurs, move to fresh air
Ingestion...	Drink water or milk. Get medical attention

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE

Respiratory Protection...	Standard MIOSH mask may be required
Protective Clothing.....	Rubber gloves and protective goggles may be required
Ventilation.....	Standard room ventilation should be sufficient
Storage.....	Store in original container with lid on tightly when not in use

SECTION 8: SPILL OR LEAK PROCEDURES AND WASTE DISPOSAL

Where permitted dilute with water and flush down drain connected to a waste treatment sewer, otherwise, use chemical absorbent material and sweep up. For large spills, contain and collect for reuse or disposal. **All disposal must be in accordance with all federal, state and local regulations.**

While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A = Not applicable N/D = Not determined N/E = Not established