

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: POWER POINT

CC26

SECTION 1: PRODUCT INFORMATION

Distributed By: Bridgepoint Systems, 542 West Confluence Ave, Salt Lake City, Utah 84123 Company Phone Number: 801-261-1282 Emergency Phone Number: 1-800-535-5053 (Infotrac) Date Prepared: 1-25-02 c

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme) Fire: 0 Health: 1 Reactivity: 0

SECTION 2: INGREDIENTS

PRINCIPLE HAZARDOUS INGREDIENTS :	<u>%</u>
Surfactants	15 - 18
NTA-3Na (CAS # 18662-53-8)	1 - 10
Sodium Metasilicate (CAS # 6834-92-0)	1 - 10

SECTION 3: PHYSICAL DATA

Boiling Point (°F)210 ^O	Specific Gravity(H ₂ O=1)8.9 lb/gl
Vapor Pressure (mmHg.)760	Percent Volatile by Volume 74 - 81
Vapor Density (AIR=1) N/A	PH (1% Solution)
Solubility in WaterComplete	

Appearance & Odor.....Clear light green liquid, mint fragrance

SECTION 4: FIRE, EXPLOSION & REACTIVITY DATA

Flash Point: Non flammable Extinguishing Media: Applicable for surrounding material involved in fire Special Fire Fighting Procedures: None Unusual Fire and Explosion Hazards: None Stability: Stable Chemical Incompatibility: Mixing with acidic, cationic or solvent based products will damage the product but will not cause a hazard. Hazardous Decomposition or Byproducts: None Hazardous Polymerization: Will not occur Conditions to Avoid: None known

PRODUCT NAME......POWER POINT CC26 page 2

SECTION 5: HEALTH HAZARD INFORMATION

Route(s) of entry	Eyes? no Skin? no Inhalation? no Ingestion? yes
Health Hazards:	Eyes - may cause irritation
	Skin - may cause irritation
	Inhalation - may cause dizziness
	Ingestion - may cause nausea
Carcinoginicity:	NTP? no OSHA? no IARC Monograph? no

SECTION 6: EMERGENCY AND FIRST AID PROCEDURES

Eyes......Flush with water for 15 minutesSkin.....Flush with waterInhalation..Remove to fresh air if irritation occursIngestion...Get medical attention

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE

Respiratory Protection	Should not be needed
Protective Clothing	Rubber gloves and safety goggles recommended
Ventilation	Normal room ventilation should be sufficient
Storage	Avoid storage in extreme temperatures

SECTION 8: SPILL OR LEAK PROCEDURES AND WASTE DISPOSAL

Use chemical absorbent material and sweep up. For large spills, contain and collect for reuse or disposal. All disposal must be in accordance with all federal, state and local regulations.

While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A = Not applicable N/D = Not determined N/E = Not established