



MATERIAL SAFETY DATA SHEET

PRODUCT NAME: LEATHER PROTECTOR CL210QT

SECTION 1 COMPANY AND PRODUCT IDENTIFICATION

PRODUCT NAME: Leather Protector

MANUFACTURER:

Hydro-Force Manufacturing

4282 S 590 W

Salt Lake City, Utah 84123

Company Phone Number: 801-268-2673

EMERGENCIES: (800) 535-5053 (Infotrac)

Date Prepared: 6/17/2011

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)

Fire: 0 Health: 1 Reactivity: 0

SECTION 2 COMPOSITION/INFORMATION ON COMPONENTS

COMPONENTS

CAS NUMBER

%

TLV

There are no components contained in this material at concentrations above 1% that are considered hazardous under 29CFR1910.1200.

SECTION 3 HAZARDS IDENTIFICATION

Physical Properties: clear solution with mild odor

Primary routes of entry:

Eye contact, skin contact/absorption, inhalation or ingestion.

Signs and symptoms of overexposure:

Gastrointestinal irritation (nausea, vomiting, diarrhea), and/or irritation to the skin, eyes, nose, throat, and respiratory tract.

Target organ effects:

Irritation of the respiratory tract, skin and eyes.

Immediate health effects:

Eyes: Overexposure may cause irritation.

Skin: Overexposure may cause mild skin irritation. Prolonged or repeated exposure may dry the skin. Symptoms may include redness, burning, drying and cracking. Skin absorption is possible, but harmful effects are not expected from this route of exposure under normal conditions of handling and use.

Inhalation: Short term inhalation is not likely to cause harmful effects. Breathing large amounts may be harmful.

Ingestion: Single dose oral toxicity is low. Swallowing large amounts may be harmful.

Reproductive/developmental information:

No data.

Carcinogenic information:

None of the ingredients of this material are listed as carcinogens by IARC, NTP, or OSHA.

Long term effects: No data

MATERIAL SAFETY DATA SHEET
PRODUCT NAME: LEATHER PROTECTOR CL210QT

Page 2 of 4

SECTION 4 FIRST AID MEASURES

Eyes:

Flush eyes with water for at least 15 minutes. If irritation persists, call a physician.

Skin:

Remove contaminated clothing. If irritation occurs, flush skin with water for at least 15 minutes.

If irritation persists, call a physician

Inhalation:

If symptoms of overexposure develop, remove to fresh air. If symptoms persist, call a physician.

Ingestion:

Give 8 to 16 ounces of water to dilute substance. Call a physician or local Poison Control Center immediately. Never give anything by mouth to an unconscious person.

SECTION 5 FIRE FIGHTING MEASURES

Flash point (° Fahrenheit): No flash below boil

Explosive limits: No data

Autoignition temperature: No data

Hazardous products of combustion:

Carbon dioxide and/or carbon monoxide. Toxic products such as HF and other perfluorinated organic compounds may be formed at high temperatures above 200 Centigrade or when burned.

Extinguishing media: Use water spray, foam, dry chemical powder of carbon dioxide.

Fire fighting instructions:

Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece operated in positive pressure mode. Move containers from fire area if it can be done without risk. Use water to keep fire-exposed containers cool.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Contain with chemical absorbent material. Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be flushed into a waste treatment sewer where local regulations

SECTION 7 HANDLING AND STORAGE

Handling:

Handle and open containers with care. Do not handle near an open flame, heat, or other source of ignition. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed.

Storage:

Store in a cool, well ventilated place away from incompatible materials. Do not store near an open flame, heat, or other source of ignition. Protect material from direct sunlight. Protect product from freezing.

MATERIAL SAFETY DATA SHEET
PRODUCT NAME: LEATHER PROTECTOR CL210QT

Page 3 of 4

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Eye protection:

Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other types of safety glasses. Consult your safety representative.

Skin protection:

Wear rubber gloves (consult your safety representative). Wear impervious clothing and boots to prevent repeated or prolonged skin contact.

Respiratory protection:

If workplace exposure limits of product or any component are exceeded, a NIOSH/MSHA approved air supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH/MSHA respirators (negative pressure type) under specified conditions (consult your safety representative). Engineering controls or administrative controls should be implemented to reduce exposure.

Do not aerosolize. If spray applied, use only low pressure (below 60 psi) sprayers. Engineering controls:

Provide sufficient mechanical ventilation (general and local exhaust) to maintain exposure below the level of overexposure from known, suspected or apparent adverse effects.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance and odor: Off-white aqueous emulsion with mild odor

pH: 7.0

Vapor pressure: No data

Vapor density: No data

Boiling Point: 212° F

Solubility in water: Dispersible

Evaporation rate:(water = 1) approximately 1

Percent volatiles: N/E

Density: 1.03

SECTION 10 STABILITY AND REACTIVITY

Chemical stability: Stable

Conditions to avoid:

None.

Materials to avoid: Oxidizing materials.

Hazardous decomposition:

Carbon monoxide, carbon dioxide and toxic fluorinated compounds may be formed during combustion.

Hazardous polymerization: N/A

MATERIAL SAFETY DATA SHEET
PRODUCT NAME: LEATHER PROTECTOR CL210QT

Page 4 of 4

SECTION 11 TOXICOLOGICAL INFORMATION

Routes of exposure:

Skin absorption, eye contact, inhalation, and ingestion.

Carcinogenicity:

None of the components of this material are listed as carcinogens by IARC, NTP, or OSHA.

Teratogenicity, mutagenicity, or other reproductive effects:

No data.

Conditions aggravated by exposure:

No data.

Synergistic materials:

No data.

SECTION 12 ECOLOGICAL INFORMATION No data.

SECTION 13 DISPOSAL CONSIDERATION

Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be flushed into a waste treatment sewer where local regulations permit. Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations. **All disposals must be in accordance with all federal, state and local regulations.**

SECTION 14 TRANSPORT INFORMATION

No restrictions for Ground, Air, or Maritime Transportation in accordance with 49 CFR parts 100-185.

SECTION 15 REGULATORY INFORMATION

US FEDERAL REGULATIONS

TSCA Status: The intentional components of this product are listed.

SECTION 16 OTHER INFORMATION

While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. HYDRO-FORCE MANUFACTURING MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.