

# MATERIAL SAFETY DATA SHEET

### PRODUCT NAME: RESUSCITATE ACID CLEANER

# SECTION 1: PRODUCT INFORMATION

**PRODUCT NAME:** Resuscitate Acid Cleaner

Manufacturer Bridgepoint Systems, 4282 S 590 W, Salt Lake City, Utah 84123

Company Phone Number: 801-261-1282

Emergency Phone Number: 1-800-535-5053 (Infotrac)

Date Prepared: 7/10/09

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)

Fire: 0 Health: 2 Reactivity: 0

#### SECTION 2 – COMPOSITION, INFORMATION ON INGREDIENTS

INGREDIENTS: OSHA PEL TLV

Organic salt N/E N/E

#### SECTION 3 – HAZARDS IDENTIFICATION

**Emergency Overview:** This product is a colourless to slight amber liquid with a low odor. It is severe eye irritant to the eyes and a mild skin irritant. If ingested, this product may be harmful or fatal.

#### **Potential Health Effects:**

**Eye:** Product expected to be a severe eye irritant.

**Skin**: Prolonged or repeated contact can cause irritation.

Non Corrosive to Skin: (as defined and tested in accordance with the U.S. OSHA's Hazard Communication Standard, DOT Hazardous Material Regulations, Canada's WHMIS regulations and TDG Regulations. Classified as a mild skin irritant as per the 1992 OECD Guideline for Testing of Chemicals, Number 404 "Acute Dermal Irritation/Corrosion.")

**Ingestion:** This product may be harmful if ingested.

**Inhalation:** Not a likely route of exposure due to physical properties. Product has a very low vapor pressure at room temperature and is not expected to present an inhalation hazard under ambient conditions.

#### **Chronic Effects:**

**Skin:** Prolonged or repeated exposure can cause drying, defatting, and dermatitis.

Carcinogenicity: Non-hazardous by WHMIS/OSHA criteria. Not listed by IARC, NTP, or ACGIH.

# MATERIAL SAFETY DATA SHEET PRODUCT NAME: RESUSCITATE ACID CLEANER Page 2 of 3

#### SECTION 4 - FIRST AID MEASURES

**Inhalation:** Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen and seek medical attention.

**Skin:** Immediately flush with mild soap and water for 15 minutes. Seek medical attention if irritation develops. Remove contaminated clothing and launder before reuse.

Eye: Immediately flush with water for 15 minutes. Seek medical attention.

**Ingestion:** Do not induce vomiting. If conscious, give 3-4 glasses of water to dilute and get immediate medical care.

#### SECTION 5 - FIRE FIGHTING MEASURES

Flammability: Not Flammable Flash Point: Does not ignite

**Autoignition Temperature**: Not applicable

Extinguishing Media: Water spray, carbon dioxide, and dry chemical.

Special Fire Fighting Procedures: Evacuate personnel to a safe area. Keep containers cool with water spray. Avoid

breathing decomposition products. Wear self-contained breathing apparatus and full body protection.

Hazardous Decomposition Products: Thermal decomposition may yield but not limited oxides of carbon and nitrogen.

Hydrogen gas may be released upon contact with certain metals.

#### SECTION 6 – ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedure: Collect for disposal. Clean up remaining materials from spill with suitable absorbent. Small spills may be absorbed with non-reactive absorbent (sand) and placed in suitable, covered, labeled containers.

# SECTION 7 - HANDLING AND STORAGE

Keep Out Of Reach Of Children. Keep container tightly closed. Store in fiberglass, polyethylene, or polypropylene containers. Do not store in metal containers, especially aluminum. Storage in certain metal containers at temperatures above 60°C/140°F may result in hydrogen gas evolution. Do not store at temperatures above 48°C/120°F.

#### SECTION 8 – EXPOSURE CONTROLS, PERSONAL PROTECTION

Engineering Controls: Not normally required.

Respiratory protection: Not normally required if good ventilation is maintained. Avoid breathing vapor and/or mist.

Eye protection: use chemical goggles.

Skin protection: use impervious (rubber, nitrile) gloves.

Work Hygienic Practices: The usual precaution for the handling of chemicals must be observed

#### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Clear colorless to pale amber liquid

**Activity, %:** > 75 % Typical **Specific Gravity (H2O = 1):** 1.092 +/- 0.2

**Solubility In Water:** Soluble (100% in water)

**Boiling Point:** 100°C/212°F

Odor: Wintergreen fragrance

**pH:** 1.0 to 1.5 **Vapour Pressure (@20°C)**: < 0.1mm Hg

% **VOC**:

# MATERIAL SAFETY DATA SHEET PRODUCT NAME: RESUSCITATE ACID CLEANER Page 3 of 3

#### SECTION 10 – STABILITY AND REACTIVITY

Stability: Stable.

Conditions to Avoid: Heating above 110°C results in an exothermic decomposition with release of CO<sub>2</sub> gas.

**Incompatible Materials:** Avoid contact with oxidizers. This material may be extremely hazardous in contact with chlorates or nitrates. This material is acidic. Contact with hypochlorites (e.g. chlorine bleach, sulfides, or cyanides will liberate toxic gases. Contact with alkaline materials (e.g. aqua ammonia) will generate heat.

**Hazardous Decomposition Products:** Thermal decomposition may yield, but not limited to oxides of carbon and nitrogen.

Hydrogen gas may be released upon contact with certain metals.

Hazardous Polymerization: Will not occur.

### SECTION 11 - TOXICOLOGICAL INFORMATION

Carcinogenicity: Non-hazardous by WHMIS/OSHA criteria. Not listed by IARC, NTP, or ACGIH. Acute skin irritation/corrosion test: This product was found to be not Corrosive to the skin after 4 hours of direct skin contact.

#### SECTION 12 - ECOLOGICAL INFORMATION

**Environmental Fate:** Urea and organic acid are known to be biodegradable. **Fish, Acute Toxicity Test, OECD 203:** 96 hour, LC50 >100 mg/L (rainbow trout)

#### SECTION 13 – DISPOSAL CONSIDERATIONS

Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be flushed into a waste treatment sewer where local regulations permit. Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations. All disposal must be in accordance with all federal, state and local regulations.

#### SECTION 14 - TRANSPORT INFORMATION

**Ground Transportation:** Ship ORM-D in gallon containers or smaller.

Air Transportation: Do not ship by air without checking appropriate regulations.

Maritime Transportation: UN1760, Corrosive Material, NOS, PG III

#### SECTION 15 - REGULATORY INFORMATION

All components are listed on TSCA

## SECTION 16 - OTHER INFORMATION

This product has no established regulatory information. All regulatory information given is based on individual components of the mixture by component number. While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.